


Message

From: Stan Carey [scarey@massapequawater.com]
Sent: 7/22/2015 3:44:45 PM
To: Garbarini, Doug [Garbarini.Doug@epa.gov]
Subject: FW: Grumman-Navy Plume Trigger Value Report Comments
Attachments: image002.jpg; removed.txt; Trigger Value Report Comments.pdf

Doug,
Please see the attached letter. Thank you.

Stan Carey, Superintendent
Massapequa Water District



From: Stan Carey [mailto:scarey@massapequawater.com]
Sent: Wednesday, July 22, 2015 10:54 AM
To: Harrington, Jim (DEC) (jim.harrington@dec.ny.gov)
Cc: Kyle_strober@schumer.senate.gov; jamie.tricarico@mail.house.gov; Assemblyman Joseph Saladino (saladij@assembly.state.ny.us); Schick, Robert (DEC) (robert.schick@dec.ny.gov); Swartwout, John (DEC) (john.swartwout@dec.ny.gov); Karpinski, Steven (HEALTH) (steven.karpinski@health.ny.gov); JDeFranco@nassaucountyny.gov; Fly, Lora B CIV NAVFAC MIDLANT, IPTNE (lora.fly@navy.mil); Hannon, ED (AS); Mike Boufis (mboufis@bethpagewater.com); fkoch@sfwater.com; Brian.Bruce@amwater.com
Subject: Grumman-Navy Plume Trigger Value Report Comments

Jim,
Please see the attached letter in response to the Trigger Value Report received last week from the Navy Consultant.
Thank you.

Stan Carey, Superintendent
Massapequa Water District

